



- 1) reflect incoming solar: cool
- 2) reduce outgoing IR: warm






- 1) reflect incoming solar: cool
- 2) reduce outgoing IR: warm






- 1) reflect incoming solar: cool
- 2) reduce outgoing IR: warm





- 1) reflect incoming solar: cool
- 2) reduce outgoing IR: warm






in today's atmosphere, clouds reduce net energy in to the Earth by 20 W/m<sup>2</sup> (also known as cloud radiative forcing)

how will this change in a future climate?

if changing clouds further reduce TOA downward net flux, this is a negative feedback


if changing clouds increase TOA downward net flux, this is a positive feedback

### Global average surface temperature anomaly from MERRA and ECMWF-interim






# Regress energy trapped by clouds vs. surface temperature




# CERES top-of-atmosphere (TOA) net flux SSF, 1-deg monthly avg., Ed. 2.5



all fluxes in this analysis are downward positive



#### $\Delta R_{\text{all-sky}} = \Delta R_{\text{T}} + \Delta R_{\text{q}} + \Delta R_{\text{albedo}} + \Delta R_{\text{cloud}}$



1. Extract the change that is due just to clouds,  $\Delta R_{cloud}$ 

2. Calculate 
$$\lambda_{cloud} = \frac{\Delta R_{cloud}}{\Delta T_{s}}$$



#### to determine $\Delta R_{cloud}$

- start with cloud radiative forcing ( $\Delta$ CRF); change in TOA flux if clouds are removed
- $\Delta CRF = (\Delta R_{clear-sky} \Delta R_{all-sky})$
- ΔCRF can also be affected by changes in T, q, albedo, radiative forcing
- Soden et al. [2008] adjustment to get  $\Delta R_{cloud}$  from  $\Delta CRF$ ; see also Shell et al. [2008]

$$\Delta R_{\text{cloud}} = \Delta CRF + (K^{0}_{T} - K_{T})dT + (K^{0}_{W} - K_{W})dW$$
$$+ (K^{0}_{a} - K_{a})da + (G^{0} - G).$$

$$\begin{split} \Delta R_{cloud} &= \left( \Delta R_{clear-sky} - \Delta R_{all-sky} \right) + (K^{0}{}_{T} - K_{T}) dT + (K^{0}{}_{W} - K_{W}) dW \\ &+ (K^{0}{}_{a} - K_{a}) da + (G^{0} - G). \end{split}$$

#### cloud radiative forcing

$$\begin{split} \Delta R_{cloud} &= \left( \Delta R_{clear-sky} - \Delta R_{all-sky} \right) + (K^{0}{}_{T} - K_{T}) dT + (K^{0}{}_{W} - K_{W}) dW \\ &+ (K^{0}{}_{a} - K_{a}) da + (G^{0} - G). \end{split}$$

#### cloud radiative forcing

$$\begin{split} \Delta R_{cloud} &= \left( \Delta R_{clear-sky} - \Delta R_{all-sky} \right) + (K^{0}{}_{T} - K_{T}) dT + (K^{0}{}_{W} - K_{W}) dW \\ &+ (K^{0}{}_{a} - K_{a}) da + (G^{0} - G). \end{split}$$

adjustment terms

$$\begin{split} \Delta R_{cloud} &= \left( \Delta R_{clear-sky} - \Delta R_{all-sky} \right) + (K^{0}{}_{T} - K_{T}) dT + (K^{0}{}_{W} - K_{W}) dW \\ &+ (K^{0}{}_{a} - K_{a}) da + (G^{0} - G). \end{split}$$

$$\Delta R_{cloud} = \left( \Delta R_{clear-sky} - \Delta R_{all-sky} \right) + (K^{0}_{T} - K_{T})dT + (K^{0}_{W} - K_{W})dW$$

$$+ (K^{0}_{a} - K_{a})da + (G^{0} - G).$$

$$\Delta R_{cloud} = \left( \Delta R_{clear-sky} - \Delta R_{all-sky} \right) + (K^{0}_{T} - K_{T})dT + (K^{0}_{W} - K_{W})dW$$

$$+ (K^{0}_{a} - K_{a})da + (G^{0} - G).$$

or MERRA

$$\Delta R_{cloud} = \left( \Delta R_{clear-sky} - \Delta R_{all-sky} \right) + (K^{0}_{T} - K_{T}) dT + (K^{0}_{W} - K_{W}) dW + (K^{0}_{a} - K_{a}) da + (G^{0} - G).$$

or MERRA

$$\Delta R_{cloud} = \left( \Delta R_{clear-sky} - \Delta R_{all-sky} \right) + (K^{0}_{T} - K_{T}) dT + (K^{0}_{W} - K_{W}) dW + (K^{0}_{a} - K_{a}) da + (G^{0} - G).$$

**GISS** 


or MERRA

$$\Delta R_{cloud} = \left(\Delta R_{clear-sky} - \Delta R_{all-sky}\right) + \left(K^{0}_{T} - K_{T}\right)dT + \left(K^{0}_{W} - K_{W}\right)dW + \left(K^{0}_{a} - K_{a}\right)da + \left(G^{0} - G\right).$$

or MERRA **GISS** 

Soden et al.


### $\Delta R_{cloud}$



$$\lambda_{cloud} = \frac{\Delta R_{cloud}}{\Delta T_s}$$




## Global average surface temperature anomaly from MERRA and ECMWF-interim






$$\lambda_{cloud} = \frac{\Delta R_{cloud}}{\Delta T_s}$$






$$\lambda_{\text{cloud}} = 0.54 \pm 0.72 \ (2\sigma) \ \text{W/m}^2/\text{K} \ (\text{ECMWF})$$
  
= 0.46±0.75 (2\sigma) \ \text{W/m}^2/\text{K} \ (\text{MERRA})






$$\lambda_{\text{cloud}} = 0.54 \pm 0.72(2\sigma) \text{ W/m}^2/\text{K (ECMWF)}$$
  
= 0.46±0.75(2\sigma) W/m<sup>2</sup>/K (MERRA)






$$\lambda_{\text{cloud}} = 0.54 \pm 0.72(2\sigma) \text{ W/m}^2/\text{K (ECMWF)}$$
  
= 0.46±0.75(2\sigma) W/m<sup>2</sup>/K (MERRA)






$$\lambda_{\text{cloud}} = 0.54 \pm 0.72(2\sigma) \text{ W/m}^2/\text{K (ECMWF)}; \text{ } \text{r}^2 = 1.9\%$$
  
= 0.46±0.75(2\sigma) \text{W/m}^2/\text{K (MERRA)}; \text{r}^2 = 1.3\%





$$\lambda_{\text{cloud}} = 0.54 \pm 0.72(2\sigma) \text{ W/m}^2/\text{K (ECMWF)}; \text{ } \text{r}^2 = 1.9\%$$
  
= 0.46±0.75(2\sigma) \text{W/m}^2/\text{K (MERRA)}; \text{r}^2 = 1.3\%





• The cloud feedback is **likely positive**, although we cannot rule out a small negative feedback



- The cloud feedback is **likely positive**, although we cannot rule out a small negative feedback
- There is no evidence to support the existence a big negative cloud feedback (viz. Spencer, Lindzen and Choi)



- The cloud feedback is **likely positive**, although we cannot rule out a small negative feedback
- There is no evidence to support the existence a big negative cloud feedback (viz. Spencer, Lindzen and Choi)
- $T_s$  explains little of the variance of  $\Delta R_{cloud}$



- The cloud feedback is **likely positive**, although we cannot rule out a small negative feedback
- There is no evidence to support the existence a big negative cloud feedback (viz. Spencer, Lindzen and Choi)
- $T_s$  explains little of the variance of  $\Delta R_{cloud}$ 
  - it will take many years to significantly reduce the uncertainty



### Do models get this right?


- Apply the same analysis to climate models
- Control runs
- Obtained from the PCMDI AR/4 archive



#### MPI ECHAM5


$$\lambda_{cloud} = 0.74 \pm 0.20 \text{ W/m}^2/\text{K}$$
 $r^2 = 4\%$ 

#### 100 years of monthly averaged data






#### short-term cloud feedback intercomparison







 The global cloud feedback in response to short-term climate variations in the last 10 years has likely been positive (~0.5 W/m²/K)

- The global cloud feedback in response to short-term climate variations in the last 10 years has likely been positive (~0.5 W/m²/K)
- No evidence of large stabilizing cloud feedback


- The global cloud feedback in response to short-term climate variations in the last 10 years has likely been positive (~0.5 W/m²/K)
- No evidence of large stabilizing cloud feedback
- As a group, climate models have a similar total feedback for short-term fluctuations

- The global cloud feedback in response to short-term climate variations in the last 10 years has likely been positive (~0.5 W/m²/K)
- No evidence of large stabilizing cloud feedback
- As a group, climate models have a similar total feedback for short-term fluctuations
- ullet  $\Delta T_s$  explains a small amount of variance in  $\Delta R_{cloud}$ 
  - models in agreement
  - very different from water vapor feedback

- The global cloud feedback in response to short-term climate variations in the last 10 years has likely been positive (~0.5 W/m²/K)
- No evidence of large stabilizing cloud feedback
- As a group, climate models have a similar total feedback for short-term fluctuations
- ullet  $\Delta T_s$  explains a small amount of variance in  $\Delta R_{cloud}$ 
  - models in agreement
  - very different from water vapor feedback

- The global cloud feedback in response to short-term climate variations in the last 10 years has likely been positive (~0.5 W/m²/K)
- No evidence of large stabilizing cloud feedback
- As a group, climate models have a similar total feedback for short-term fluctuations
- ullet  $\Delta T_s$  explains a small amount of variance in  $\Delta R_{cloud}$ 
  - models in agreement
  - very different from water vapor feedback
- I thank NASA grant NNX08AR27G to TAMU, the CERES, MERRA, and ECMWF groups, and the PCMDI archive


# ECMWF-interim reanalysis 3/2000-2/2010






# Aerosols


aerosol climatology



- \* difference goes into this term
- $^{*}$  as long as it does not correlate w/  $\Delta T_s$ , inferred feedback should not be affected









Model	Total		Long wave		Short wave		Long-term cloud feedback	Climate sensitivity
	Cloud feedback	r^2	Cloud feedback	r^2	Cloud feedback	r^2		
FGOALS-g1.0	1.24±0.16	28%	0.92±0.08	48%	0.32±0.15	3%	N/A	2.3
PCM	1.11±0.20	10%	0.52±0.11	7%	0.60±0.21	3%	0.18	2.1
IPSL-CM4	1.05±0.16	12%	1.17±0.13	21%	-0.12±0.14	0.2%	1.06	4.4
INM-CM3.0	0.98±0.18	9%	0.77±0.10	15%	0.21±0.19	0.4%	0.35	2.1
UKMO-HadCM3	0.88±0.31	5%	0.57±0.15	9%	0.31±0.35	0.5%	1.08	3.3
ECHAM/MPI-OM	0.74±0.20	4%	0.97±0.09	27%	-0.23±0.20	0.4%	1.18	3.4
CCSM3	0.62±0.26	2%	0.17±0.12	0.9%	0.45±0.25	1%	0.14	2.7
GFDL-CM2.1	0.34±0.20	0.9%	0.40±0.08	8%	-0.06±0.23	0%	0.81	3.4
GFDL-CM2.0	0.15±0.20	0.2%	-0.63±0.10	11%	0.78±0.21	4%	0.67	2.9
ECMWF-CERES	0.54±0.72	1.9%	0.43±0.45	3.0%	0.12±0.78	0.1%	N/A	N/A
MERRA-CERES	0.46±0.75	1.3%	0.27±0.47	1.2%	0.19±0.76	0.2%	N/A	N/A




# Have we measured a feedback?

- It makes sense if one thinks of cause and effect
- This is how feedbacks are traditionally defined
- The comparison with models is apples-toapples




# An analysis of the dependence of clear-sky top-of-atmosphere outgoing longwave radiation on atmospheric temperature and water vapor

A. E. Dessler, P. Yang, J. Lee, J. Solbrig, Z. Zhang, and K. Minschwaner Received 17 March 2008; revised 9 June 2008; accepted 19 June 2008; published 3 September 2008.



**Figure 1.** Scatterplot of 134,862 measured values of OLR against OLR calculated by the Fu-Liou model, both in units of W/m<sup>2</sup>. The solid line is the one-to-one line.

$$CRF = R_{all-sky}-R_{clear-sky}$$
  
 $CRF = 0$ 



$$CRF = R_{all-sky}-R_{clear-sky}$$
  
 $CRF \neq 0$ 

